

Références bibliographiques

- A. Hamidi, V. Yazdanjou, and N. Salimi, (2009).** Shear strength characteristics of sand gravel mixtures. International Journal of Geotechnical Engineering, vol. 3, (1), pp. 29-38.
- Amini F. & Qi G.Z. (2000).** Liquefaction testing of stratified silty sands. Journal of Geotechnical Engineering Division, Proc. ASCE, vol. 126 (3), pp. 208-217.
- Arab, A. (2008).** Comportement des Sols sous Chargement Monotone et Cyclique. Thèse de Doctorat, Université des Sciences et de la Technologie Mohamed Boudiaf d'Oran, Algérie).
- Bayat, M., Bayat, E., Aminpour, H., & Salarpour, A. (2014).** Shear strength and pore-water pressure characteristics of sandy soil mixed with plastic fine. Arabian Journal of Geosciences, vol. 7(3), pp. 1049-1057.
- Boominathan A, Hari S. (2002).** Liquefaction strength of fly ash reinforced with randomly distributed fibers. Soil Dynamics and Earthquake Engineering, Vol.22, pp. 1027-1033.
- Boominathan A, Hari S. (2002).** Liquefaction strength of fly ash reinforced with randomly distributed fibers. Soil Dynamics and Earthquake Engineering, Vol. 22, pp. 1027-1033.
- Bouferra R., & Shahrour I. (2004).** Influence of fines on the resistance to liquefaction of a clayey sand. Ground Improvement vol. 8, (1), pp. 1-5.
- Castro, G., & Poulos, S. J. (1977).** Factors affecting liquefaction and cyclic mobility. Journal of Geotechnical Engineering Division, ASCE, Vol.103, N°GT6, pp. 501-516.
- Casagrande, A. (1979).** Liquefaction and cyclic deformation of sand. A critical review. In Fifth Panamerican Conference on soil Mechanic and Foundation Engineering, Bueno Aires, Argentina, Havard Soil Mechanics, N°88, pp. 1-39.
- Chang N.Y., Yeh S.T. & Kaufman L.P. (1982).** Liquefaction potential of clean and silty sands. Proc., third Int. Earthquake Microzonation Conf. Vol. 2, pp. 1017-1032.
- Dafalla, M. A. (2013).** Effects of clay and moisture content on direct shear tests for clay-sand mixtures. Advances in Materials Science and Engineering.

Das, B.M., V.K. Puri and S. Prakash (1999). Liquefaction of Silty Soil. Proc Second Int. Conf. on Earthq. Geot. Engg. And Soil Dynamics, Lisbon (Portugal), June 21-25, Vol II, pp 619-224.

Dezfulian, H. (1982). Effects of silt content on dynamic properties of sandy soils. In Proceedings of the Eighth World Conference on Earthquake Engineering, pp. 63-70.

Fabien szymkiewicz (2011). Evaluation des propriétés mécaniques du matériau Soil-Mixing.

Finn W.D., Ledbetter R.H. & Wu G. (1994). Liquefaction on silty soils: Design and analysis. Ground failures under seismic conditions, Geotech. Spec. Publication, N°44, ASCE, New York, pp. 51-76.

Georgiannou, V.N. Burland, J.B. Hight, D.W. (1990). The undrained behavior of clayey sands in triaxial compression and extension. Geotechnique 40, No.3, 431-449

Ghahremani, M. (2005). Effect of plastic fines and their plasticity on the liquefaction resistance of sands. MSc. Thesis, Department of civil Engineering, Tehran University, Iran

Ghazavi et al (2004). Shear strength characteristics of sand-mixed with granular rubber. Geotechnical and Geological Engineering, Vol. 22, pp. 401–416.

Hazen, A. (1920). Hydraulic-fill dams. Transactions of the American Society of Civil Engineers, vol. 83(1), pp. 1713-1745.

Hosseinpour I., Mirmoradi H., Barari A. & Omidvar M. (2010). Numerical evaluation of sample size effect on the stress-strain behavior of geotextile-reinforced sand. Journal of Zhejiang University-SCIENCE A (Applied Physics & Engineering), vol. 11(8), pp. 555-562.

Kaufman, L.P. (1981). Percentage silt content in sands and its effect on liquefaction potential. Ph.D. Thesis, University of Colorado.

Koester J.P. (1994). The influence of fines type and content on cyclic strength. Geotechnical Special Publication N°44, S. Prakash and P. Dakoulas, eds., ASCE, New York, pp. 17-33.

Koester, J.P.In: Prakash S, DakaulasP, editors. (1994). The influence of fines type and content on cyclic strength. Ground failures under seismic conditions, 44. ASCE Publication, 17-33.

Kuwano, J., Imura, H., Takahara, K., Nakazawa, H. (1995). Undrained cyclic and monotonic behavior of sand-kaolin mixture. Earthquake geotech. Engrg. Conference.165-171, Balkema, Rotterdam, ISBN: 90 5809 1 163

Law K.T. & Ling Y.H. (1992). Liquefaction of granular soils with noncohesive fines. Proc., 10th World Conf. on Earthquake, pp. 1491-1496.

Lee K.L. & Seed H.B. (1967). Dynamic strength of anisotropically consolidated sand. Soils Mechanics and foundations, divisions, ASCE, vol. 93, N° SM5, pp. 117-147.

Madhavi Latha G., & Vidya S. (2006). Murthy Effects of reinforcement form on the behavior of geosynthetic reinforced sand. Geotextile and Geomembranes, Vol.25, pp. 23-32.

Miura, S., Kawamura S., and Yagi, K. (1995). Liquefaction damage of sandy and volcanic grounds in the 1993 Hokkaido Nansei-oki earthquake. Proc. 3rd Int. Con. On Recent Advances in Geotechnical Earthq. Engrg. And Soil Dynamics, St. Louis, Missouri, vol.1, 193-196

Noorzad R. & Mirmoradi S.H. (2010). Laboratory evaluation of the behavior of a geotextile reinforced clay. Geotextiles and Geomembranes, Vol. 28, pp. 386–392.

Nouri, S., Nechnech, A., Lamri, B., & Lopes, M. L. (2016). Triaxial test of drained sand reinforced with plastic layers. Arabian Journal of Geosciences, vol. 9(1), pp. 53.

Perlea, V.G., J.P. koester, and S. Prakash, (1999). How Liquefiable are cohesive Soils. Proc. Second Int. Conf on Earthq. Geot Engg and Soil Dynamics, Lisbon (Portugal), June 21-25, Vol II pp 611-618

Poulos, S. J., Robinsky, E. I., & Keller, T. O. (1985). Liquefaction resistance of thickened tailings. Journal of Geotechnical Engineering, vol. 111(12), pp. 1380-1394.

Prakash S. & Sandoval J.A. (1992). Liquefaction for low plasticity silts. Journal of Soil Dynamic and Earthquake Engineering, 71(7), pp. 373-397.

Puri V.K. (1984). Liquefaction behaviour and dynamic properties of loessial soils. PhD Dissertation, University of Missouri-Rolla.

Puri V.K. (1990). Liquefaction aspects of loessial soils. Proc., 4th U. S. Nat. Conf. on Earthquake Engineering Research Inst., El Cerito, California, 3, 755-762.

Sandoval S.J. (1989). Liquefaction and settlement characteristics of silty soils. PhD dissertation, University of Missouri-Rolla.

Shen C.K., Vrymoed J.L. & Uyeno CK. (1977). The effects of fines on liquefaction of sands. Proc. 9th Int. Conf. on Soil Mech. and Found. Engineering, vol. 2, 381-385.

Troncoso J.H. & Verdugo R. (1985). Silt content and dynamic behaviour of tailing sands. Proc., 12th Int. Conf. on soil Mech. And Found. pp. 1311-1314.

Unnikrishnan., Rajagopal., Krishnaswamy. (2002). Behaviour of reinforced clay under monotonic and cyclic loading. Geotextiles and Geomembranes, Vol. 20, pp. 117-133.

Vercueil D., ET Billet P. (1997). Study of the liquefaction resistance of saturated sand reinforced with geosynthetics. Soil Dynamics and Earthquake Engineering, vol. 16, pp. 417-425.

Vaid V.P. (1994). Liquefaction of silty soils », Ground failures under seismic conditions. Geotechnical Special Publication, N°44, ASCE, New York, pp. 1-16.

Yamamuro J.A. & Lade P.V. (1997). Static liquefaction of very loose sands. Canadian Geotechnical Journal, Ottawa vol. 34, pp. 905-917.

Zlatovic S.& Ishihara K. (1997). Normalised behaviour of very loose nonplastic soil/ Effects of fabric. Soils and Foundations, Tokyo, vol. 37(4), pp. 47-56.